

Chrysler Passenger Car

Part #	Hollander #	OEM #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA C4506115	447-1900	-	8.25	30.875	27	6 - 4.50	0.645	2.830	1.620
YA C5013170	Viper Car	-	D44	7.4	30	N/A	N/A	N/A	N/A
YA C5013171	Viper Car	-	D44	6.64	30	N/A	N/A	N/A	N/A
YA C8.75-28.0	N/A	-	8.75	28.00	30	5 - 4.50	0.645	2.830	1.565
YA C8.75-30.0	447-984	-	8.75	30.00	30	5 - 4.50	0.645	2.830	1.565
YA C8.75-32.0	Cut-to-Length	-	8.75	28.0-32.0	30	5 - 4.50	0.645	2.83	1.565

Chrysler Truck - Front

Part #	Model	Length	Splines	Location	U-Joint
YA C5086666AB	9.25	45.43	33/33	Assm	U-925
YA C5086667AB	9.25	26.87	33/33	Assm	U-925
YA D27902-11X	D44	18.30	30	Inner	5-760X
YA D27902-12X	D44	36.75	30	Inner	5-760X
YA D27902-18X	D44	37.10	30	Inner	5-760X
YA D27902-19X	D44	14.61	30	Inner	5-760X
YA D27902-22X	D44	35.25	30	Inner	5-760X
YA D27902-25X	D44	16.10	30	Inner	5-760X
YA D27902-5X	D44	17.10	30	Inner	5-760X
YA D27902-8X	D44	36.50	30	Inner	5-760X
YA D36990	D44	6.63	35	Outer	5-760X
YA D39905	D44	9.92	19	Outer	5-760X
YA D45531	D60	20.50	30 & 15	Inner	5-733X
YA D46901	D44	7.05	33	Outer	5-760X
YA D620200	D44	9.72	19	Outer	5-760X
YA D621063	D44	9.92	19	Outer	5-760X
YA D660182-2	D60	35.10	35	Inner	5-733X
YA D660182-5	D60	17.67	35	Inner	5-733X
YA D660182-6	D60	35.10	35	Inner	5-733X
YA D708063	D60	26.18	32/18	Assm	5-733X
YA D708064	D60	26.52	32/33	Assm	5-733X
YA D72406-4X	D44	18.32	15	Inner	5-760X
YA D73579-1X	D44	19.10	30	Inner	5-760X
YA D73579-2X	D44	18.30	15	Inner	5-760X
YA D74752X	D60	18.31	15	Inner	5-733X
YA D74759-1X	D44	26.39 overall	15 inner	Assm	5-760X
YA D74760-1X	D60	27.00	30	Assm	5-733X
YA D74917X	D44	6.77	33	Outer	5-760X
YA D75266X	D44	18.94	15 & 30	Inner	5-760X
YA D75594X	D60	18.59	30	Inner	5-733X
YA D75690X	D60	7.05	33	Outer	5-733X
YA D76812-1X	D44	26.39	15	Inner	5-760X
YA D76813-1X	D44	27.00 overall	30	Assm	5-760X
YA D76814-1X	D44	20.10	30	Inner	5-760X
YA D76815-1X	D44	19.62	15	Inner	5-760X
YA D80178-1	D60	19.13	32	Inner	5-733X
YA D80179-1	D60	18.79	18	Inner	5-733X
YA D80375	D60	7.39	33	Outer	5-733X
YA D80382-1	D44	26.75	30/33	Assm	5-760X

Chrysler Truck - Front 4340 Chrome Moly

Part #	Model	Length	Splines	Location	U-Joint
YA W42001	9.25	7.38	33	Outer	U-925
YA W43001	9.25	19.60	33	Inner	U-925
YA W43002	9.25	38.09	33	Inner	U-925
YA W46100	D60	12.00	35	Outer	5-733X
YA W46105	D60	12.00	30	Outer	5-733X
YA W46107	D60	7.05	33	Outer	5-733X
YA W48202	D60	15.96	35	Inner	5-733X
YA W48208	D60	17.67	35	Inner	5-733X
YA W48210	D60	35.10	35	Inner	5-733X
YA W48210	D60	35.10	35	Inner	5-733X
YHC46100	D60	12.00	35	Outer	5-733X
YHC46105	D60	12.00	30	Outer	5-733X
YHC48202	D60	15.96	35	Inner	5-733X
YHC48210	D60	35.10	35	Inner	5-733X

MADE IN USA!

MADE IN USA!

MADE IN USA!

MADE IN USA!

Chrysler Truck - Rear

Part #	Hollander #	OEM #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA C4348511	447-1552	-	7.25	30.37	25	5 - 4.50	0.645	2.830	1.620
YA C45066147	447-1901	-	7.25	30.37	25	6 - 4.50	0.645	2.830	1.620
YA C52098902	447-2235	-	8.25	29.87	29	5 - 4.50	0.595	2.830	1.620
YA C53008134	447-8131	-	8.25	29.87	27	5 - 4.50	0.595	2.830	1.620
YA C4348510	447-1551	-	8.25	30.81	27	5 - 4.50	0.645	2.830	1.620
YA C4506115	447-1900	-	8.25	30.81	27	6 - 4.50	0.645	2.830	1.620
YA C4137672	447-1438	-	8.25	31.81	27	5 - 5.50	0.595	2.830	1.620
YA C3496577	447-998	-	8.25	32.62	27	5 - 4.50	0.645	2.830	1.620
YA C4137670	447-1441	-	8.25	32.62	27	5 - 5.50	0.645	3.560	1.620
YA C4137838	447-1074	-	8.25	31.81	27	5 - 4.50	0.645	2.830	1.620
YA C52069512	447-2226R	-	8.25	30.25	29	6 - 4.50	0.645	2.830	1.620
YA C52069513	447-2226L	-	8.25	33.37	29	6 - 4.50	0.645	2.830	1.620
YA C4037726	447-1289	-	9.25	31.81	31	5 - 5.50 0.535	0.176 groove	3.560	1.620
YA C4137429	447-1398	-	9.25	31.62	31	5 - 5.50 0.645	0.208 groove	3.560	1.620
YA C3723824	447-1081	-	9.25	31.68	31	5 - 4.50	0.645	2.830	1.620
YA C4011257	447-1083	-	9.25	32.62	31	5 - 4.50	0.645	2.830	1.620
YA C52067314	447-2030	-	9.25	34.06	31	5 - 5.50	0.645	3.090	1.620
YA C52067708	447-1927	-	9.25	32.62	31	5 - 5.50	0.645	3.547	1.620
YA C52069388	447-2344R	-	9.25	30.50	31	6 - 4.5	0.645	2.830	1.620
YA C52069389	447-2344L	-	9.25	33.38	31	6 - 4.5	0.645	2.830	1.620
YA C0508677AB	447-2473	-	10.5	37.24	30	8x2.80	0.45	N/A	N/A
YA C05086902AB	447-2744	-	11.5	36.81	30	8x2.80	0.45	N/A	N/A
YA C05086984AB	447-2745	-	11.5	40.19	30	8x2.80	0.45	N/A	N/A
YA C40020768	447-2743	-	10.5	36.75	30	8x2.80	0.45	N/A	N/A
YA C4011257	447-1073	-	9.25	32.62	31	5x4.5	0.638	2.82	1.620
YA C5086902AB	447-2744	-	11.5	36.81	30	8x2.80	0.45	N/A	N/A
YA C5086984AB	447-2745	-	11.5	40.12	30	8x2.80	0.45	N/A	N/A
YA C52070498	447-2789R	-	8.25		29	6x114.3		'04-'05 Dakota & Durango, RH, w/o Traction Control	1.620
YA C52070499	447-2790L	-	8.25		29	6x114.3		'04-'05 Dakota & Durango, LH, w/o Traction Control	1.620
YA C52111370	447-2787R	-	8.25		29	6x114.3		'04-'05 Dakota & Durango, RH, w/ Traction Control	1.620
YA C52111371	447-2788L	-	8.25		29	6x114.3		'04-'05 Dakota & Durango, LH, w/ Traction Control	1.620

Ford Passenger Car

Part #	Hollander #	OEM #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA F750001	447-1231	D9BZ-4234-BC	7.5 & 8.8	29.25	28	4 - 4.25	0.600	2.525	1.400
YA F750004	447-1338	E3TZ-4234-C	7.5 & 8.8	29.25	28	5 - 4.50	0.600	2.525	1.400
YA F750006	447-1446	E5SZ-4234-A	7.5 & 8.8	30.00	28	4 - 4.25	0.600	2.525	1.400
YA F750007	447-1442A	E5LY-4234-A	7.5 & 8.8	30.50	28	5 - 4.50	0.600	2.775	1.400
YA F750009	447-1227	D9AZ-4234-A	7.5 & 8.8	31.00	28	5 - 4.50	0.600	2.775	1.400
YA F750010	447-1731	FOAZ-4234-A	7.5 & 8.8	31.62	28	5 - 4.50	0.600	2.775	1.400
YA F750011	Custom Application	-	7.5 & 8.8	29.25	31	5 - 4.50	0.600	2.775	1.400
YA F880009	447-1576	E7SZ-4234-A	7.5 & 8.8	30.00	28	4 - 5.25	0.600	2.525	1.400
YA F880017	447-2006	F4ZZ-4234-B	7.5 & 8.8	30.00	28	5 - 4.50	0.600	2.775	1.400
YA F880018	447-1824	F2AZ-4234-B	7.5 & 8.8	31.62	28	5 - 4.50	0.600	2.775	1.400
YA F880021	447-2007	F4ZZ-4234-A	7.5 & 8.8	30.00	28	5 - 4.50	0.600	2.775	1.400
YA F880022	447-2307	F8AZ-4234-DA	7.5 & 8.8	32.43	28	5 - 4.50	0.600	2.775	1.400
YA F880041	447-2425	XR3Z-4234-AA	8.8	30.75	28	5 - 4.50	0.600	2.775	1.400
YA F880043	447-2946	5R3Z-4234-B	8.8	31.81	31	5 - 4.50	0.600	2.775	1.620
YA F880044	447-2945	5R3Z-4234-A	8.8	32.69	31	5 - 4.50	0.600	2.775	1.620
YA F8-28-32.87	Custom Application	-	8	25.5 to 32.87	28	5 - 4.50	0.600	2.435	1.377
YA F9-31-32.87	Custom Application	-	9	25.5 to 32.87	31	5 - 4.5	0.600	2.435	1.400
YA FM4235B	Custom Application	-	8.8	29.25	31	4 - 4.25	0.600	2.525	1.400
YA FM4235D	Custom Application	-	8.8	30.00	31	5 - 4.50	0.600	2.775	1.400
YA FM4235E	Custom Application	-	8.8	30.75	31	5 - 4.50	0.600	2.778	1.400
YA F750012	447-2941R	5R3Z-4234-AC	7.5		28	'05 & up Mustang, RH, w/ ABS			1.400
YA F750013	447-2942L	5R3Z-4234-AD	7.5		28	'05 & up Mustang, LH, w/ ABS			1.400
YA F750014	447-2943R	5R3Z-4234-C	7.5		28	'05 & up Mustang, RH, w/o ABS			1.400
YA F750015	447-2944L	5R3Z-4234-D	7.5		28	'05 & up Mustang, LH, w/o ABS			1.400
YA F8-28-27.18	-	-	8	27.18-23.68	28	5x4.5	0.61	2.43	1.400
YA F880038	447-2733	3W1Z-4234-A	8.8	34.37	28	5x4.5	0.59	2.77	1.400
YA F880039	447-0124	6W1Z-4234-A	8.8	34.37	31	5x4.5	0.59	2.78	1.400

Ford Truck - Front

Part #	Model	Length	Splines	Location	U-Joint
YA D2002692	D50	9.37	30	Outer	
YA D27902-31X	D44	18.62	30	Inner	5-760X
YA D27902-35X	D44	34.75	30	Inner	5-760X
YA D27902-3X	D44	33.90	30	Inner	5-760X
YA D27902-4X	D44	18.91	30	Inner	5-760X
YA D37951	D44	10.66	19	Outer	5-760X
YA D39906	D44	9.80	19	Outer	5-760X
YA D40394	D28	7.66	23	Outer	5-456X
YA D41677	D44	9.94	19	Outer	5-760X
YA D42350	D44	8.52	19	Outer	5-760X
YA D42569	D44	7.94	27	Outer	5-760X
YA D44-297-18.3	D44	18.30	30	Inner	5-760X
YA D44-297-28.0	D44	28.00	30	Inner	5-760X
YA D44-297-28.2	D44	28.20	30	Inner	5-760X
YA D44-297-37.8	D44	37.80	30	Inner	5-760X
YA D48903	D44	11.50	30	Outer	5-760X
YA D620085	D44	11.40	30	Outer	5-760X
YA D620200	D44	9.72	19	Outer	5-760X
YA D660118-1	D44	9.53	19	Outer	5-760X
YA D660124-1	D44	43.60 overall	30 inner	Assm	5-760X
YA D660124-2	D44	28.60 overall	30 inner	Assm	5-760X
YA D660124-3	D44	44.50 overall	30 inner	Assm	5-760X
YA D660124-4	D44	28.40 overall	30 inner	Assm	5-760X
YA D660182-1	D60	15.96	35	Inner	5-733X
YA D660182-10	D60	34.56	35	Inner	5-733X
YA D660182-11	D60	18.70	35	Inner	5-733X
YA D660182-36	D60	36.68	35	Inner	5-733X
YA D660269-1	D44	17.19	30	Inner	5-760X
YA D660548-2	D28	13.76	23	Inner	5-456X
YA D71394-1X	D44	25.60 overall	30 inner	Assm	5-760X
YA D71396-1X	D44	26.90 overall	30 inner	Assm	5-760X
YA D71703-1X	D28	21.40 overall	23 inner	Assm	5-456X
YA D72041-1X	D44	15.14 overall	30 inner	Assm	5-760X
YA D72044-1X	D44	34.70 overall	30 inner	Assm	5-760X
YA D72044-1X	D44	34.70 overall	30 inner	Assm	5-760X
YA D72045-1X	D44	33.50 overall	30 inner	Assm	5-760X
YA D72112-1X	D44	24.77	30	Inner	5-760X
YA D72112-2X	D44	23.65	30	Inner	5-760X
YA D72114-1X	D50	23.94	30	Inner	5-799X
YA D74413-1X	D28	14.22	23	Inner	5-456X
YA D76151-1X	D60	37.62	30	Inner	5-733X
YA D76151-2X	D60	15.39	30	Inner	5-733X
YA D76151-3X	D60	37.62	30	Inner	5-733X
YA D76151-4X	D60	16.36	30	Inner	5-733X
YA D76660-1X	D60	16.17	35	Inner	5-733X
YA D76660-1X	D60	16.17	35	Inner	5-733X
YA D76660-2X	D60	36.97	35	Inner	5-733X
YA D76660-2X	D60	36.97	35	Inner	5-733X
YA F88061	8.8	5.56	28	Inner	CV

Ford Truck - Front 4340 Chrome Moly

Part #	Model	Length	Splines	Location	U-Joint
YA W38806	D30	18.44	30	Inner	5-760X
YA W38807	D30	28.06	30	Inner	5-760X
YA W38809	D44	18.50	30	Inner	5-760X
YA W38810	D44	27.94	30	Inner	5-760X
YA W38813	D44	18.62	30	Inner	5-760X
YA W38814	D44	34.75	30	Inner	5-760X
YA W38816	D44	9.72	19	Outer	5-760X
YA W38817	D44	10.66	19	Outer	5-760X
YA W39143	D44	18.91	30	Inner	5-760X
YA W39144	D44	33.91	30	Outer	5-760X
YA W46101	D60	11 3/8	35	Outer	5-733X
YA W46102	D60	11.50	35	Outer	5-332X
YA W46103	D60	11.40	30	Outer	5-733X
YA W46104	D60	11.40	30	Outer	5-733X
YA W46106	D50	9.375	30	Outer	5-799X
YA W48202	D60	15.96	35	Inner	5-733X
YA W48204	D60	16.17	35	Inner	5-733X
YA W48206	D60	18.70	35	Inner	5-733X
YA W48212	D60	36.97	35	Inner	5-733X
YA W48212	D60	36.68	35	Inner	5-733X
YA W48214	D60	36.97	35	Inner	5-733X
YA W48216	D60	34.56	35	Inner	5-733X
YHC38806	D30	18.44	30	Inner	5-760X
YHC38807	D30	28.05	30	Inner	5-760X
YHC38809	D44	18.50	30	Inner	5-760X
YHC38810	D44	27.94	30	Inner	5-760X
YHC38816	D44	9.72	19	Outer	5-760X
YHC38817	D44	10.66	19	Outer	5-760X
YHC39143	D44	18.91	30	Inner	5-760X
YHC39144	D44	33.91	30	Outer	5-760X
YHC46101	D60	11.375	35	Outer	5-733X
YHC46103	D60	11.40	30	Outer	5-733X
YHC46104	D60	11.40	30	Outer	5-733X
YHC48204	D60	16.17	35	Inner	5-733X
YHC48206	D60	18.70	35	Inner	5-733X

Ford Truck - Rear

Part #	Hollander #	OEM #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA D70867-17X	–	–	D60	34.25	35	8 - 6.50	.684	4.70	1.71
YA D36113-1	447-1167	D5T2-4234-B	D60,D70,D80	35 FF*	35	8 - 3.96	N/A	N/A	N/A
YA D75344-1X	447-2122	–	D60	31.86 SF**	35	8 - 6.50	.684	5.0	1.71
YA D75344-2X	447-2123	–	D60	34.13 SF**	35	8 - 6.50	.684	5.0	1.71
YA D70867-18X	447-1508	–	D60	34.14 SF**	35	8 - 6.50	.684	5.0	1.71
YA D43286-1	447-1452	–	D80	37.67 FF*	35	8 - 4.33	N/A	N/A	N/A
YAD43651-1	447-2011	–	D80	37.67 FF*	37	8 - 4.33	N/A	N/A	N/A
YA D46930-1	447-2246	–	D80	40 FF*	35	8 - 3.96	N/A	N/A	N/A
YA D46930-2	447-2247	–	D80	42.47 FF*	35	8 - 3.96	N/A	N/A	N/A
YA D47852-1	447-2456	–	D80	40 FF	37	8 - 5.22	N/A	N/A	N/A
YA F750002	447-1337	E3TZ-4234-B	7.5 & 8.8	26.25	28	5 - 4.50	0.600	2.525	1.400
YA F750003	447-1321	E3TZ-4234-A	7.5 & 8.8	28.00	28	5 - 4.50	0.600	2.525	1.400
YA F750004	447-1338	E3TZ-4234-C	7.5 & 8.8	29.15	28	5 - 4.50	0.600	2.525	1.400
YA F750005	447-1339R	E4TZ-4234-A	7.5 & 8.8	27.68	28	5 - 4.50	0.600	2.525	1.400
YA F750008	447-1456L	E69Z-4234-A	7.5 & 8.8	32.25	28	5 - 4.50	0.600	2.525	1.400
YA F880019	447-2089	F37Z-4234-B	7.5 & 8.8	30.18	28	5 - 4.50	0.600	2.525	1.400
YA F880020	447-2088	F37Z-4234-A	7.5 & 8.8	27.31	28	5 - 4.50	0.600	2.525	1.400
YA F880002	447-1340R	E3TZ-4234-D	8.8	31.06	31	5 - 5.50	0.600	2.870	1.620
YA F880003	447-1341L	E3TZ-4234-E	8.8	33.06	31	5 - 5.50	0.600	2.870	1.620
YA F880004	447-1724R	F1TZ-4234-A	8.8	27.81	31	5 - 4.50	0.600	2.870	1.620
YA F880005	447-1725L	F1TZ-4234-B	8.8	30.68	31	5 - 4.50	0.600	2.870	1.620
YA F880006	447-1575L	E7UZ-4234-E	8.8	35.75	31	5 - 5.50	0.600	3.415	1.620
YA F880007	447-1573R	E7TZ-4234-A	8.8	31.06	31	5 - 5.50	0.600	3.415	1.620
YA F880008	447-1574L	E7TZ-4234-B	8.8	33.18	31	5 - 5.50	0.600	2.430	1.620
YA F880014	447-2120R	E5TZ-4234-A	8.8	27.81	31	5 - 4.50	0.600	2.870	1.620
YA F880015	447-2121L	E5TZ-4234-B	8.8	30.68	31	5 - 5.50	0.600	2.870	1.620
YA F880031	447-2304	F75Z-4234-KA	8.8	31.87	31	5 - 135	0.568	3.415	1.705
YA F880032	447-2305	F75Z-4234-KB	8.8	33.50	31	5 - 135	0.568	3.415	1.705
YA F880033	447-2192	F75Z-4234-NA	8.8	31.87	31	5 - 135	0.568	3.415	1.620
YA F880034	447-2193	F75Z-4234-NB	8.8	33.50	31	5 - 135	0.568	3.415	1.620
YA F880035	447-2420	F87Z-4234-AD	7.5 & 8.8	30.25	28	5 - 4.5	0.600	2.800	1.400
YA F880036	447-2419	F87Z-4234-AC	7.5 & 8.8	27.25	28	5 - 4.5	0.600	2.800	1.400
YA F900001	447-1172	D6TZ-4234-A	9	32.00	31	5 - 5.50	0.600	2.870	1.565
YA F900001-35SP	Custom Application	–	9	32.00	35	5 - 5.50	0.600	2.870	1.565
YA F900002	66-75 Bronco RH w/11"X1.75" Brakes		9	29.50	31	5 - 5.50	0.600	2.870	1.565
YA F900003	66-75 Bronco LH w/11"X1.75" Brakes		9	27.12	31	5 - 5.50	0.600	2.870	1.565
YA F900004	74-75 Bronco RH w/10"X2.5" Brakes		9	29.75	31	5 - 5.50	0.600	2.870	1.565
YA F900005	74-75 Bronco LH w/10"X2.5" Brakes		9	27.37	31	5 - 5.50	0.600	2.870	1.565
YA F900006	76-77 Bronco RH w/11"X2.25" Brakes		9	29.68	31	5 - 5.50	0.600	2.870	1.565
YA F900007	76-77 Bronco LH w/11"X2.25" Brakes		9	27.18	31	5 - 5.50	0.600	2.870	1.565

* FF = Full-Float

** SF = Semi-Float

Ford Truck - Rear (cont.)

Part #	Hollander #	OEM #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA F900011	447-1008R	D3TZ-4235-F	9	29.50	28	5 - 5.50	0.600	2.870	1.375
YA F900012	447-1008L	D3TZ-4235-G	9	21.12	28	5 - 5.50	0.600	2.870	1.375
YA F900013	447-1009R	D3TZ-4235-H	9	29.31	28	5 - 5.50	0.600	2.870	1.535
YA F975001	447-2238	F75Z-4234-MA	9.75	31.81	34	5 - 135 mm	0.568	3.43	1.620
YA F975002	447-2239	F75Z-4234-MB	9.75	33.50	34	5 - 135 mm	0.568	3.43	1.620
YA F975003	447-2236	F75Z-4234-LA	9.75	31.81	34	5 - 135 mm	0.568	3.43	1.620
YA F975004	447-2237	F75Z-4234-LB	9.75	33.50	34	5 - 135 mm	0.568	3.43	1.620
YA F975005	447-2484	YL1Z-4234-CA	9.75	31.81	34	5 - 135 mm	0.610	3.43	1.705
YA F975006	447-2485	YL1Z-4234-CB	9.75	33.50	34	5 - 135 mm	0.610	3.43	1.705
YA F100001	447-1507	E5TZ-4234-B	10.25	30.50 SF**	35	8 - 6.50	0.600	4.720	1.705
YA F100002	447-1506	E5TZ-4234-C	10.25	33.37 SF**	35	8 - 6.50	0.600	4.695	1.705
YA F100010	447-1451	E5TZ-4234-E	10.25	35.50 FF*	35	N/A	N/A	N/A	N/A
YA D46930-3	-	-	D70	39.65	35	8x2.80	0.446	N/A	N/A
YA D46930-4	-	-	D70	43	35	8X2.80	0.446	N/A	N/A
YA F100003	447-2922	6L3Z-4234-F	10.25	33.62	35	7x4.59	0.6	3.44	1.705
YA F100004	447-2923	6L3Z-4234-G	10.25	35.31	35	7x4.59	0.6	3.44	1.705
YA F100005	447-2386R	F75Z-4234-PA	10.25		35	7x4.59	0.6	3.44	N/A
YA F100006	447-2387L	F75Z-4234-PB	10.25	33.37	35	7x4.59	0.6	3.44	1.705
YA F100007	447-2447	F81Z-4234-AA	10.25/10.5	35"	35	8x2.79	0.518	NA	N/A
YA F100008	447-2488	F81Z-4234-AB	10.25-10.5	37.19	35	8x2.79	0.518	NA	N/A
YA F880010	447-2230	F3TZ-4234-A	8.8		31	'93-'96 F150 Lightning, RH			1.62
YA F880011	447-2230	F3TZ-4234-B	8.8		31	'93-'96 F150 Lightning, LH			1.62
YA F880019	447-2089	F37Z-4234-B	7.5/8.8	30.19	28	5x4.28	0.58	2.52	1.4
YA F880020	447-2088	-		27.31	28	5x4.28	0.58	2.52	1.4
YA F880045	447-2835R	7L3Z-4234-A	8.8	33.75	31	6X5 1/4		3.54	1.705
YA F880046	447-2836L	7L3Z-4234-C	8.8	35.37	31	6X5 1/4		3.54	1.705
YA F880048	447-2752L	3L2Z-4234-AB	8.8		31	'03 & up Explorer Sport Trac			
YA F880049	447-2636BR	1L2Z-4K138-CB	8.8		31	'03 & up Explorer, RH, w/o Traction Control			
YA F880050	447-2637BL	1L2Z-4K139-CB	8.8		31	'03 & up Explorer, LH, w/o Traction Control			
YA F880051	447-2634R	2L2W-4K139-BA	8.8		31	'03 & up Explorer, RH, w/ Traction Control			
YA F880052	447-2635L	2L2W-4K138-BA	8.8		31	'03 & up Explorer, LH, w/ Traction Control			
YA F975007	447-2920R	6L3Z-4234-B	9.75	33.75	31	6X4.6	0.61	3.54	1.705
YA F975008	447-2921	7L3Z-4234-D	9.75	35.37	31	6x4.6	0.61	3.54	1.705
YA F975009	447-2244	YC2Z-4234-DA	9.75		31	'97-'05 E150 Van, RH			
YA F975010	447-2245	YC2Z-4234-DB	9.75		31	'97-'05 E150 Van, LH			

* FF = Full-Float

** SF = Semi-Float

Ford Bronco Axle Upgrade Kits

Includes: 2 Axles, Bearings, Studs, Seals & Retainers

Part #	Model	Splines	Description
28 Spline Upgrades			
YA FBRONCO-1-28	9	28	Small Brg (Kit Only)
YA FBRONCO-2-28	9	28	66-75 w/1-3/4" Brakes (Kit Only w/Tapered Timken Brgs)
YA FBRONCO-3-28	9	28	76-77 w/2-1/4" Brakes (Kit Only w/Tapered Timken Brgs)
YA FBRONCO-4-28	9	28	74-75 w/2-1/2" Brakes (Kit Only w/Tapered Timken Brgs)
31 Spline Upgrades			
YA FBRONCO-2-31	9	31	66-75 w/1-3/4" Brakes (Kit Only w/Tapered Timken Brgs)
YA FBRONCO-3-31	9	31	76-77 w/2-1/4" Brakes (Kit Only w/Tapered Timken Brgs)
YA FBRONCO-4-31	9	31	74-75 w/2-1/2" Brakes (Kit Only w/Tapered Timken Brgs)
35 Spline Upgrades			
YA FBRONCO-2-35	9	35	66-75 w/1-3/4" Brakes (Kit Only w/Tapered Timken Brgs)
YA FBRONCO-3-35	9	35	76-77 w/2-1/4" Brakes (Kit Only w/Tapered Timken Brgs)
YA FBRONCO-4-35	9	35	74-75 w/2-1/2" Brakes (Kit Only w/Tapered Timken Brgs)

GM - Passenger Car

Part #	Hollander #	OEM #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA D3-82-1261X	86-92 Corvette	D44	7.50	27.00	N/A	N/A	N/A	N/A	1.45
YA G12398538	447-788	-	12P	29.75	30	5 - 4.75	0.453	2.810	1.400
YA G12398538-33	-	-	12P	29.75	33			KIT ONLY COMPLETE w/ELIMINATOR BRGS	
YA G12398538-3C	Custom Application	-	12P	29.75	33	5 - 4.75	0.453	2.810	1.400
YA G1255800	447-789	-	8.2	28.62	28	5 - 4.75	0.453	2.810	1.400
YA G1255801	447-1067	-	8.2 & 8.5	30.50	28	5 - 4.75	0.453	2.810	1.400
YA G1255801-SH	447-1067	-	8.2 & 8.5	30.50	28	5 - 4.75	0.453	2.780	1.400
YA G1255802	447-912	-	8.2 & 8.5	30.25	28	5 - 4.75	0.453	2.810	1.400
YA G1255802-SH	447-912	-	8.2 & 8.5	30.25	28	5 - 4.75	0.453	2.780	1.400
YA G1255802-30	Custom Application	-	8.5	30.25	30	5 - 4.75	0.453	2.810	1.400
YA G1255803	447-787	-	8.2 & 8.5	29.50	28	5 - 4.75	0.453	2.810	1.400
YA G1255803-SH	447-787	-	8.2 & 8.5	29.50	28	5 - 4.75	0.453	2.780	1.400
YA G1255804	-	-	8.2 & 8.5	31.50	28	5 - 4.75	0.453	2.810	1.400
YA G1255804-SH	-	-	8.2 & 8.5	31.37	28	5 - 4.75	1.453	2.780	1.400
YA G22506477	447-1137	-	7.5 & 7.625	30.50	26	5 - 4.75	0.453	2.780	1.400
YA G22515440	447-1301	-	7.5 & 7.625	30.31	26	5 - 4.75	0.484	2.780	1.400
YA G22515441	447-1302	-	7.5 & 7.625	30.31	26	5 - 4.75	0.484	2.780	1.400
YA G25501599	447-1205	-	8.5	30.31	28	5 - 5.00	0.513	3.055	1.400
YA G26014036	447-1668	-	8.5	30.43	28	5 - 4.75	0.431	2.780	1.400
YA G26018080	447-1858	-	8.5	30.37	30	5 - 5.00	0.484	3.055	1.400
YA G26019539	447-1870	-	7.5 & 7.625	30.43	26	5 - 5.00	0.484	3.055	1.400
YA G26027588	447-1960	-	7.625	32.12	28	5 - 4.75	0.484	2.780	1.400
YA G26031251	447-1777	-	7.625	30.37	28	5 - 4.75	0.484	2.780	1.400
YA G26034018	447-1776	-	7.625	30.37	28	5 - 4.75	0.484	2.780	1.400
YA G26043163	447-1664	-	8.5	31.06	28	5 - 5.00	0.484	3.055	1.400
YA G26043164	447-2170	-	8.5	31.06	30	5 - 5.00	0.484	3.055	1.400
YA G26059962	447-2343	-	7.625	32.12	28	5 - 4.75	0.484	2.780	1.400
YA G26059972	447-2342	-	7.625	31.93	28	5 - 4.75	0.484	2.780	1.400
YA G26063146	447-1961	-	7.625	32.12	28	5 - 4.75	0.484	2.780	1.400
YA G3863726	-	-	8.2	30.37	28	5 - 4.75	0.453	2.810	1.620
YA G3929165-L	-	-	55P	28.87	17	5 - 4.75	0.453	2.810	1.382
YA G3929165-R	-	-	55P	30.25	17	5 - 4.75	1.453	2.810	1.382
YA G3969285	447-913	-	12P	30.12	30	5 - 4.75	0.453	2.810	1.400
YA G3969285-3C	Cust. Application	-	12P	30.12	33	5 - 4.75	0.453	2.810	1.400
YA G3969285-33	-	-	12P	30.12	33			KIT ONLY COMPLETE w/ELIMINATOR BRGS	
YA G3985720	-	-	12P	31.37	30	5 - 4.50	0.453	2.810	1.620
YA G551818	447-1208	-	7.5 & 7.625	28.43	26	5 - 4.75	0.484	2.780	1.400
YA G8.2BOP-L	-	-	8.2BOP	29.87	28	5 - 4.75	0.453	2.780	1.382
YA G26050549	-	-	7.625	28.10	28	5 - 4.75	0.453	2.780	1.400

GM Truck - Front

Part #	Model	Length	Splines	Location	U-Joint
YA D27902-1X	D44	18.50	30	Inner	5-760X
YA D27902-2X	D44	36.25	30	Inner	5-760X
YA D2-82-1221	D44 & 8.5	9.94	19	Outer	5-760X
YA D29833-1X	D44	28.70 overall	30 inner	Assm	5-760X
YA D29833-2X	D44	46.60 overall	30 inner	Assm	5-760X
YA D29903-1X	D44	19.10	30	Inner	5-760X
YA D3-82-871	D60	12.00	35	Outer	5-733X
YA D40955	D60	12.00	30	Outer	5-733X
YA D41677	D44	9.94	19	Outer	5-760X
YA D660182-2	D60	35.10	35	Inner	5-733X
YA D660182-5	D60	17.67	35	Inner	5-733X
YA D660182-6	D60	35.10	35	Inner	5-733X
YA D660276-1	8.5	35.50	28	Inner	5-760X
YA G12471491	8.25	19.60	28	Inner	n/a
YA G12479153	9.25	'03 & U	33	Inner	n/a
YA G14041986	7.2	4.25	26	Inner	CV
YA G15801500	9.25	15.00	33	Inner	n/a
YA G25588366	Intermediate, 8.25IFS	-	28	Inner	CV
YA G26006822	RH Stub Axle, 8.25IFS	15.62	28	Inner	CV
YA G26006824	LH Stub Axle, 8.25IFS	5.00	28	Inner	CV
YA G26009627	LH Stub Axle, 9.25IFS	5.87	33	Inner	CV
YA G26015323	8.5	35.46	30	Inner	5-760X
YA G26015324	8.5	19.15	30	Inner	5-760X
YA G26031836	RH Stub Axle, 9.25IFS	15.00	33	Inner	CV
YA G26034185	7.2	14.95	26	Inner	CV
YA G26058813	8.25	5.06	28	Inner	n/a
YA G26058832	8.25	14.60	28	Inner	n/a
YA G26059716	9.25	15.25	33	Outer	n/a
YA G26059717	8.25	5.06	28	Outer	n/a

GM Truck - Front 4340 Chrome Moly

Part #	Model	Length	Splines	Location	U-Joint	
YA W38815	8.5	9.94	19	Outer	5-760X	
YA W39252	8.5	19.15	28	Inner	5-760X	
YA W39253	8.5	35.46	28	Inner	5-760X	
YA W39254	8.5	19.15	30	Inner	5-760X	
YA W39255	8.5	35.46	30	Inner	5-760X	
YA W39529	D44	36.13	30	Inner	5-760X	
YA W39529	D44	36.13	30	Inner	5-760X	
YA W46100	D60	12.00	35	Outer	5-733X	
YA W46105	D60	12.00	30	Outer	5-733X	
YA W48208	D60	17.67	35	Inner	5-733X	
YA W48210	D60	35.10	35	Inner	5-733X	
YHC38815	8.5	9.94	19	Outer	5-760X	Made in USA!
YHC39252	8.5	19.15	28	Inner	5-760X	Made in USA!
YHC39253	8.5	35.46	28	Inner	5-760X	Made in USA!
YHC39254	8.5	19.15	30	Inner	5-760X	Made in USA!
YHC39255	8.5	35.46	30	Inner	5-760X	Made in USA!
YHC39529	D44	36.13	30	Inner	5-760X	Made in USA!
YHC46100	D60	12.00	35	Outer	5-733X	Made in USA!
YHC46105	D60	12.00	30	Outer	5-733X	Made in USA!
YHC48208	D60	17.67	35	Inner	5-733X	Made in USA!
YHC48210	D60	35.10	35	Inner	5-733X	Made in USA!

GM Truck - Rear

Part #	Hollander #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA D43811-1	447-1923	D70	34.24	32	FF 8 - 3.96	N/A	N/A	N/A
YA D45553-2	447-2036	D60,D70,D80	39.00	35	FF 8 - 3.96	N/A	N/A	N/A
YA D45553-3	447-2035	D60,D70,D80	36.65	35	FF 8 - 3.96	N/A	N/A	N/A
YA G12471329	447-2594	14 Bolt	38.63	30	FF 8 - 3.5	0.530	N/A	N/A
YA G12471369	447-2457	8.6	33.75	30	6 - 5.50	0.600	3.090	1.620
YA G14030355	447-1310	7.5 & 7.625	26.87	26	5 - 4.75	0.484	2.780	1.400
YA G14035355	447-1347L	9.5	35.93	33	8 - 6.50	0.600	4.620	1.700
YA G14035368	447-1329	7.5 & 7.625	29.06	26	5 - 4.75	0.484	2.780	1.400
YA G14035395	447-1276	9.5	32.75	33	8 - 6.50	0.600	4.620	1.700
YA G14035542	447-1204	8.5	31.31	28	5 - 5.00	0.513	3.090	1.620
YA G14039547	447-1300	8.5	31.50	28	6 - 5.50	0.513		1.620
YA G14042690	447-1085	8.5	33.43	28	5 - 5.00	0.513	3.715	1.620
YA G14071750	447-1063	12T	31.43	30	6 - 5.50	0.453	3.560	1.620
YA G14071751	447-1062	12T	31.43	30	5 - 5.00	0.530	3.055	1.620
YA G14074821	447-1409L	7.5 & 7.625	34.80	26	5 - 5.00	0.513	3.090	1.400
YA G14074822	447-1409R	7.5 & 7.625	30.50	26	5 - 5.00	0.513	3.090	1.400
YA G15521892	447-1608	8.5	33.25	28	6 - 5.50	0.600	3.055	1.620
YA G15521928	447-1610	9.5	33.25	33	SF 6 - 5.5	0.600	3.076	1.700
YA G15522066	447-1606	8.5	32.00	28	5 - 5.00	0.453	3.090	1.620
YA G15522070	447-1615	9.5	32.00	33	8 - 6.50	0.600	4.620	1.700
YA G26004859	447-1310	7.5 & 7.625	31.06	26	5 - 4.75	0.484	2.780	1.400
YA G26009534	447-1599	7.5 & 7.625	26.87	28	5 - 4.75	0.484	2.780	1.400
YA G26010414	447-1652	8.5	31.50	30	6 - 5.50	0.453	3.525	1.620
YA G26010415	447-1669	8.5	31.50	30	5 - 5.00	0.513	3.090	1.620
YA G26010416	447-1671	8.5	33.00	30	6 - 5.50	0.600	3.055	1.620
YA G26010417	447-1670	8.5	32.00	30	5 - 5.00	0.600	3.090	1.620
YA G26011054	447-2173	7.625	34.87	28	5 - 5.00	0.513	3.090	1.400
YA G26011055	447-1764	7.625	30.50	28	5 - 5.00	0.513	3.090	1.400
YA G26011161	447-1769	14T FF*	37.50	30	8 - 3.50	0.530	N/A	N/A
YA G26011162	447-1771	14T FF*	42.00	30	8 - 3.50	0.513	N/A	N/A
YA G26011708	447-1978R	14 Bolt	42.56	30	FF 8 - 3.5	0.530	N/A	N/A
YA G26013313	447-1672	8.5 & 12T	33.37	30	5 - 5.00	0.513	3.090	1.620
YA G26013882	447-1651	7.625	29.00	28	5 - 4.75	0.484	2.780	1.400
YA G26015257	447-2173	7.625	34.87	28	5 - 5.00	0.513	3.090	1.400
YA G26015258	447-1764	7.625	30.50	28	5 - 5.00	0.513	3.090	1.400
YA G26015260	447-1861	7.625	29.12	28	5 - 4.75	0.484	2.780	1.400
YA G26016760	-	7.5 & 7.625	31.00	28	5 - 4.75	0.484	2.780	1.400
YA G26020039	447-1975	14 Bolt	32.40	30	FF 8 - 3.5	0.530	N/A	N/A
YA G26020040	447-1974	14T FF*	36.63	30	FF 8 - 3.5	0.530	N/A	N/A
YA G26042818	447-2172	8.5	33.40	30	5 - 5.0	0.600	3.10	1.620
YA G26042925	447-2283	14 Bolt	38.88	30	FF 8 - 3.5	0.530	N/A	N/A

* FF = Full-Float ** SF = Semi-Float

GM Truck - Rear (cont.)

Part #	Hollander #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA G26042927	447-2372	14 Bolt	41.94	30	FF 8 - 3.5	0.530	N/A	N/A
YA G26045426	447-2284	14 Bolt	33.00	30	FF 8 - 3.5	0.530	N/A	N/A
YA G26051134	-	14T FF*	34.00	30	8 - 3.50	0.513	N/A	N/A
YA G26051135	-	14T FF*	39.87	30	8 - 3.50	0.513	N/A	N/A
YA G26058547	447-2347	8.5	30.93	30	5 - 4.75	0.484	2.780	1.620
YA G3893604	-	12T	30.75	17	6 - 5.50	0.453	3.055	1.620
YA G3893605	447-780	12T	30.75	30	6 - 5.50	0.453	3.055	1.620
YA G3914060	447-781	12T	31.37	30	5 - 4.75	0.453	3.055	1.400
YA G3977383	447-1775	14T FF*	31.68	30	8 - 3.50	0.530	N/A	N/A
YA G3977384	447-1774	14T FF*	37.56	30	8 - 3.50	0.530	N/A	N/A
YA GM14T-30-35	Cut-to-length	14T FF*	30.5 to 35 CTF	30	8 - 3.50	0.530	N/A	N/A
YA GM14T-30-40	Cut-to-length	14T FF*	35.5 to 40 CTF	30	8 - 3.50	0.530	N/A	N/A
YA IRODEO	447-58899	7.625	28.25	28	6 - 5.50	0.484	3.055	1.400
YA G12471486	447-2595	11.5	35.94	30	8X2.52	0.54	N/A	N/A
YA G12478175	447-2756	8.6	34.25	30	6X4.76	0.6	3.09	1.620
YA G12479016	447-2646	8	33.25	28	6x4.33	0.48	3.09	1.620
YA G12479017	447-2645	8	31.41	28	6X4.32	0.48	3.08	1.620
YA G12479160	447-2653L	8.6	33.06	30	6x4.32	0.48	3.09	1.620
YA G12479161	447-2652R	8.6	31.56	30	6x4.32	0.48	3.09	1.620
YA G12479175	447-2756	8.6	34.50	30	6x4.76	0.6	3.09	1.620
YA G12479210	447-2823L	7.625	35.50	28	6x4.76	0.6	3.09	1.620
YA G12479211	447-2822R	7.625	31.00	28	6x4.76	0.6	3.08	1.620
YA G12479214	447-2753	9.5	34.75	33	8x4.60	0.6	4.62	1.7
YA G12479285	447-2755	8.6	33.56	30	6X4.77	0.6	3.086	1.620
YA G12479336	447-2858R	8	29.80	28	6x4.76	0.48	3.97	1.620
YA G12479337	447-2859L	8	30.75	28	6x4.76	0.48	3.97	1.620
YA G12479338	447-2905R	8	28.62	28	6x4.76	0.47	3.97	1.620
YA G12479339	447-2906L	8	30.75	28	6x4.76	0.48	3.97	1.620
YA G15286380	447-0190	8.6	34.25	30	6x4.76	0.6	3.09	1.620
YA G15522068	447-1609	9.5	31.69	33	6x4.76	0.6	3.09	1.7
YA G15812663	-	9.5	34.02	33	6x4.76	0.6	3.092	1.618
YA G26050549	447-2261	7.625	28.81	28	5x4 1/2	0.48	2.78	1.4
YA G26058079	447-2414	8.5	28.81	30	5x4 1/2	0.48	2.78	1.39
YA G26058696	447-2316	7.625	26.37	28	5x4 1/2	0.47	2.78	1.39
YA G26058925	447-2498	8.5	26.50	30	5x4 1/2	0.47	2.78	1.39
YA G26060414	447-2458	9.5	33.31	33	8x4.60	0.6	4.62	1.7
YA WGM14T-30-35	Cut-to-length	14T	31-35	30	8x2.52	0.6	N/A	N/A
YA WGM14T-30-38	Cut-to-length	14T/11.5	34.8-38.8	30	8X2.52	0.6	N/A	N/A
YA WGM14T-30-42	Cut-to-length	14T/11.5	38.2-42.2	30	8X2.52	0.6	N/A	N/A
YA WGM14T-38-35	Cut-to-length	14T	31-35	38	8X2.52	0.6	N/A	N/A
YA WGM14T-38-38	Cut-to-length	14T/11.5	34.8-38.8	38	8X2.52	0.6	N/A	N/A
YA WGM14T-38-42	Cut-to-length	14T/11.5	38.2-42.2	38	8X2.52	0.6	N/A	N/A

* FF = Full-Float ** SF = Semi-Float

Jeep - Front

Part #	Model	Length	Splines	Location	U-Joint
YA C5083666	D44	38.10	30	Assm	5-760X
YA C5083667	D44	22.21	30	Assm	5-760X
YA D27902-21X	D44	16.50	30	Inner	5-760X
YA D30-297-14.2	D30	14.25	27	Inner	5-760X
YA D30-297-16.0	D30	16.00	27	Inner	5-760X
YA D30-297-23.0	D30	23.00	27	Assm	5-760X
YA D30-297-24.7	D30	24.70	27	Assm	5-760X
YA D30-297-28.7	D30	28.70	27	Inner	5-760X
YA D30-297-32.3	D30	32.30	27	Inner	5-760X
YA D30-297-36.0	D30	36.00	27	Assm	5-760X
YA D30-297-37.5	D30	37.50	27	Assm	5-760X
YA D30-HD-16.6	D30	32.30	30	Inner	5-760X
YA D30-HD-32.3	D30	32.30	30	Inner	5-760X
YA D36617	D30	8.72	27	Stub	5-760X
YA D36859	D30	8.72	27	Stub	5-760X
YA D40611	D30	6.11	27	Stub	5-760X
YA D43205	D30	6.11	27	Stub	5-760X
YA D51737-1	D30	40.08 overall	27	Assm	5-760X
YA D51737-2	D30	24.30 overall	27	Assm	5-760X
YA D51737-3	D30	41.10 overall	27	Assm	5-760X
YA D51737-4	D30	23.24 overall	27	Assm	5-760X
YA D73898-1X	D30	16.57	27	Inner	5-760X
YA D73918-1X	D30	22.68	27	Assm	5-760X
YA D73918-2X	D30	38.51	27	Assm	5-760X
YA D75588-1X	D30	21.91 overall	15	Assm	5-760X
YA D75814-1X	D30	22.7 overall	27	Assm	5-760X
YA D75814-2X	D30	38.5 overall	27	Assm	5-760X
YA D75815-1X	D30	22.7 overall	27	Assm	5-760X
YA D75815-2X	D30	38.50	28	Assm	5-760X
YA D84394-1	D44	31.84	30	Inner	5-760X
YA D84394-2	D44	16.96	30	Inner	5-760X

Jeep - Front 4340 Chrome Moly

Part #	Model	Length	Splines	Location	U-Joint	
YA W37774	D30	8.31	27	Outer	5-760X	
YA W380248	D30	8.72	30	Outer	5-760X	
YA W38098	D30	8.31	27	Outer	5-260X	
YA W38789	D30	27.01	27	Inner	5-760X	
YA W38790	D44	32.91	30	Inner	5-760X	
YA W38803	D30	14.14	27	Inner	5-760X	
YA W38804	D30	28.69	27	Inner	5-760X	
YA W38805	D30	15.82	27	Inner	5-760X	
YA W38808	D44	14.78	30	Inner	5-760X	
YA W38821	D30	16.63	27	Inner	5-760X	
YA W38875	D30	32.36	27	Inner	5-760X	
YA W39105	D44 & D30	8.72	27	Outer	5-760X	
YA W39125	D30	6.11	27	Outer	5-760X	
YA W39339	D44	33.19	30	Inner	5-760X	
YA W39459	D44	15.80	30	Inner	5-760X	
YA W39461	D44	32.12	30	Inner	5-760X	
YA W39601	D44	16.96	30	Inner	5-760X	
YA W39601	D44	16.36	30	Inner	5-760X	
YA W39602	D44	31.84	30	Inner	5-760X	
YHC37774	D30	8.31	27	Outer	5-760X	Made in USA!
YHC38098	D30	8.31	27	Outer	5-260X	Made in USA!
YHC38248	D30	8.72	30	Outer	5-760X	Made in USA!
YHC38789	D30	27.01	27	Inner	5-760X	Made in USA!
YHC38790	D44	32.91	30	Inner	5-760X	Made in USA!
YHC38803	D30	14.14	27	Inner	5-760X	Made in USA!
YHC38804	D30	28.69	27	Inner	5-760X	Made in USA!
YHC38805	D30	15.82	27	Inner	5-760X	Made in USA!
YHC38808	D44	14.78	30	Inner	5-760X	Made in USA!
YHC38821	D30	16.63	27	Inner	5-760X	Made in USA!
YHC38875	D30	32.36	27	Inner	5-760X	Made in USA!
YHC39105	D44 & D30	8.72	27	Outer	5-760X	Made in USA!
YHC39125	D30	6.11	27	Outer	5-760X	Made in USA!
YHC39339	D44	33.19	30	Inner	5-760X	Made in USA!
YHC39459	D44	15.80	30	Inner	5-760X	Made in USA!
YHC39461	D44	32.12	30	Inner	5-760X	Made in USA!
YHC39601	D44	16.96	30	Inner	5-760X	Made in USA!
YHC39601	D44	16.36	30	Inner	5-760X	Made in USA!
YHC39602	D44	31.84	30	Inner	5-760X	Made in USA!

Jeep - Rear OEM Replacements

Part #	Hollander #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA C52070350	447-2629	8.25	30.88	29	5 - 5.0	0.650	2.84	1.620
YA D72912-1X	447-1799R	M35	29.00	27	5 - 4.50	0.600	2.84	1.360
YA D72912-2X	447-1799L	M35	30.50	27	5 - 4.50	0.660	2.84	1.360
YA D73499-1X	447-1567R	D44	29.00	30	5 - 4.50	0.600	2.828	1.560
YA D73879-1X	447-1797BR	M35	29.25	27	5 - 4.50	0.600	2.828	1.400
YA D73879-2X	447-1797BR	M35	30.68	27	5 - 4.50	0.600	2.828	1.400
YA D74356-1X	447-2204R	M35	29.25	27	5 - 4.50	0.600	2.828	1.400
YA D74356-2X	447-2204L	M35	30.68	27	5 - 4.50	0.600	2.828	1.400
YA D74789-1X	447-2081R	M35	29.25	27	5 - 4.50	0.600	2.828	1.400
YA D74789-2X	447-2081L	M35	30.68	27	5 - 4.50	0.600	2.828	1.400
YA D74871-1X	447-2232R	D44HD	29.37	30	5 - 4.50	0.600	2.828	1.400
YA D74871-2X	447-2232L	D44HD	30.37	30	5 - 4.50	0.600	2.828	1.400
YA D75786-1X	447-2416R	D44	29.75	30	5 - 4.50	0.600	2.828	1.560
YA D75786-2X	447-2416L	D44	29.25	30	5 - 4.50	0.600	2.828	1.560
YA D76454-1X	447-2463	D44-SUPER	29.25	30	5 - 5.0	0.600	2.828	1.380
YA D76454-2X	447-2464	D44-SUPER	32.25	30	5 - 5.0	0.600	2.828	1.380
YA D76454-3X	447-2465	D44-SUPER	30.25	30	5 - 5.0	0.600	2.828	1.380
YA D76454-4X	447-2466	D44-SUPER	31.75	30	5 - 5.0	0.600	2.828	1.380
YA D76467-3X	447-2461	M35	30.93	27	5 - 5.0	0.600	2.828	1.380
YA D76467-4X	447-2462	M35	31.74	27	5 - 5.0	0.600	2.828	1.400
YA M20-8127070	-	M20	26.25	29	separate hub	N/A	N/A	1.377
YA M20-8127071	-	M20	29.37	29	separate hub	N/A	N/A	1.377
YA M20-8133730	-	M20	HUB	HUB	5 - 5.50	0.600	4.160	N/A
YA M20-8133885	-	M20	28.62	29	separate hub	N/A	N/A	1.377
YA M20-8133886	-	M20	31.62	29	separate hub	N/A	N/A	1.377
YA M35C-27-L	-	M35	30.69	27	5 - 4.5	0.600	2.828	1.400
YA M35C-27-R	-	M35	29.25	27	5 - 4.5	0.600	2.828	1.400
YA C5033676	447-2717	D44	29.75	30	5x4 1/2	0.59	2.82	1.55
YA C5033677	447-2718	D44	29.25	30	5x4 1/2	0.59	2.82	1.55
YA C68003272AA	447-00268	D44	32	30	JK, Non-Rubicon, LH & RH			
YA C68003533AA	447-0268	M35	32.94	27	5x5	0.65	2.82	1.55
YA C68003534AA	447-0266R	M35	30.87	27	5x5	0.65	2.82	1.55
YA C68003557AA	447-00266R	D44	32.62	32	5x5	0.65	2.82	1.55
YA C68003558AA	447-00267L	D44	31.25	32	5x5	0.65	2.82	1.55

Jeep - Rear Heavy Duty

Part #	Hollander #	OEM #	Model	Length	Splines	Bolt Pattern	Stud Hole	Brake Pilot	Brg Surface
YA M35B-30-L	-	-	M35	29.00	30	5 - 4.50	0.600	2.840	1.360
YA M35B-27-R-HD	-	-	M35	29.00	27	Cold extruded for super strength, bolt in			
YA M35B-30-R	-	-	M35	30.50	30	5 - 4.50	0.600	2.840	1.360
YA M35B-27-L-HD	-	-	M35	30.50	27	Cold extruded for super strength, bolt in			
YA D74356-1-HD	447-2204R	-	M35	29.25	27	Cold extruded for super strength, C-clip			
YA D74356-2-HD	447-2204L	-	M35	30.68	27	Cold extruded for super strength, C-clip			
YA M35C-30-L	-	-	M35	30.68	30	5 - 4.50	0.600	2.828	1.400
YA M35C-30-R	-	-	M35	29.25	30	5 - 4.50	0.600	2.828	1.400